

FIG. 1




FIG. 2




FIG. 3




FIG. 4




FIG. 5




FIG. 6




FIG.7




FIG.8




FIG.9




FIG.10




FIG.11




FIG.12




FIG. 13




FIG. 14




FIG. 16




FIG. 15





FIG. 17



10038506 410001

FIG.18




FIG.19




FIG. 21




FIG.20





FIG.22



10038576-110901

FIG.24




FIG.23




FIG.26




FIG.25




FIG.27




FIG. 28




FIG. 29




FIG. 31

FIG. 30






FIG. 32








FIG. 34








FIG.38




FIG.39




FIG.40




FIG.41




FIG.42




FIG.43




FIG.44




FIG.45




FIG.46




FIG.47




FIG.48




FIG.49




FIG.50




FIG.51




FIG.52A




FIG.52B




FIG.52C




FIG.52D

HEART LIFTED




FIG.52E




FIG.52F




FIG.52G




FIG.52H




FIG.52I





FIG.52J

PULMONARY ARTERY



FIG.52K



10038305 110301




FIG. 55




FIG. 56




FIG. 57




FIG. 58A




FIG. 58B




FIG. 58C




FIG. 58D




FIG. 58E




FIG. 58F




FIG. 58G




FIG. 59




FIG. 60A




FIG. 60A

FIG. 60B




FIG. 60C




FIG. 60D




FIG. 60E




FIG. 60F




FIG. 60G




FIG. 60H





FIG. 60I







FIG. 6B






FIG. 61C




FIG. 61D




FIG. 61E






FIG. 61F






FIG. 6IG




FIG. 6IH




FIG. 6II

FIG. 6IJ




FIG.62A




FIG.62B




FIG.62C




FIG. 62D




FIG. 62E




FIG. 62F




FIG. 62G




FIG. 62H




FIG. 62I




FIG. 63




FIG. 64




FIG. 65A




FIG. 65B




FIG. 66





FIG. 67



1003506-10001




FIG. 68

100783001 100783001







FIG. 69






FIG. 73

FIG 74




FIG. 75




FIG. 76





FIG. 77



10033506-10001




FIG. 78

FIG. 79




FIG. 79

FIG. 80




FIG. 80

FIG. 81




FIG. 81

FIG. 82




FIG. 82

FIG. 83




FIG 83




FIG. 83




FIG. 83A

1050T 9058E00T




FIG 84

FIG. 85




FIG. 85

FIG. 86




FIG. 86

10038506 14001




FIG. 87




FIG. 88

FIG. 89




FIG 89




FIG. 90

1003506 110941




FIG 91

10038505-110901




FIG. 93




FIG. 93




FIG. 94

FIG. 95




FIG. 95

1003536-1000




FIG. 96

USPTO SUBMITTED




FIG. 98

FIG. 99




FIG. 99

X




FIG. 100

FOOT SUSPECT




FIG. 101